

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 5/30/2023 Version: 1.0

# **SECTION 1: Identification**

### 1.1. Identification

Product form : Mixture

Product name : 660 - Rich Shield Premium Acrylic Gloss White

Product code : 660.0

### 1.2. Recommended use and restrictions on use

No additional information available

### 1.3. Supplier

Richard's Paint 200 Paint Street Rocklege, FL, 32955 USA T 800-432-0983

# 1.4. Emergency telephone number

Emergency number : CHEMTEL US (800) 255-3924 | CHEMTEL International (813) 248-0585

# **SECTION 2: Hazard(s) identification**

# 2.1. Classification of the substance or mixture

### **GHS US classification**

Flammable liquids, Category 4 H227 Combustible liquid
Carcinogenicity, Category 1B H350 May cause cancer.
Hazardous to the aquatic environment – Acute Hazard, Category 2 H401 Toxic to aquatic life

Full text of H-statements: see section 16

# 2.2. GHS Label elements, including precautionary statements

### **GHS US labelling**

Hazard pictograms (GHS US)



Signal word (GHS US) : Danger

Hazard statements (GHS US) : H227 - Combustible liquid H350 - May cause cancer.

H401 - Toxic to aquatic life

Precautionary statements (GHS US) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 - If exposed or concerned: Get medical advice/attention. P370+P378 - In case of fire: Use media other than water to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards which do not result in classification

No additional information available

# 2.4. Unknown acute toxicity (GHS US)

47.49% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)

97.7% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)

97.7% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
titanium(IV) oxide	CAS-No.: 13463-67-7	20 – 30	Carc. 2, H351 Aquatic Acute 3, H402
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate	CAS-No.: 25265-77-4	< 5	Aquatic Acute 3, H402
distillates (petroleum), hydrotreated heavy paraffinic	CAS-No.: 64742-54-7	< 5	Carc. 1B, H350

Full text of hazard classes and H-statements : see section 16

### **SECTION 4: First-aid measures**

### 4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

# 4.2. Most important symptoms and effects (acute and delayed)

No additional information available

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

# **SECTION 5: Fire-fighting measures**

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Specific hazards arising from the chemical

Fire hazard : Combustible liquid.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5/30/2023 (Issue date) EN (English) 2/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

**Emergency procedures** 

: No open flames, no sparks, and no smoking. Only qualified personnel equipped with suitable protective equipment may intervene.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment

: Collect spillage.

Methods for cleaning up

: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information

: Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly.

Hygiene measures

: Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Store locked up.

### **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

### 660 - Rich Shield Premium Acrylic Gloss White

No additional information available

5/30/2023 (Issue date) EN (English) 3/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

No additional information available

### titanium(IV) oxide (13463-67-7)

### **USA - ACGIH - Occupational Exposure Limits**

Local name	Titanium dioxide
ACGIH OEL TWA	0.2 mg/m³ (Respirable fraction) 2.5 mg/m³ (Respirable fraction)
Remark (ACGIH)	TLV® Basis: LRT irr; pneumoconiosis. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2022

### **USA - OSHA - Occupational Exposure Limits**

	Local name	Titanium dioxide (Total dust)
	OSHA PEL TWA [1]	15 mg/m³
	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

### 2,2,4-trimethyl-1,3-pentanediol monoisobutyrate (25265-77-4)

No additional information available

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

# Hand protection:

Protective gloves

### Eye protection:

Safety glasses

### Skin and body protection:

Wear suitable protective clothing

### Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

### Personal protective equipment symbol(s):







# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid Appearance : Liquid.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Colour : white

Odour : No data available
Odour threshold : No data available
pH : No data available
Melting point : Not applicable
Freezing point : No data available
Boiling point : No data available

Flash point : > 140 °F

Relative evaporation rate (butylacetate=1) No data available Flammability (solid, gas) Not applicable. : No data available Vapour pressure Relative vapour density at 20°C : No data available Relative density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity, kinematic : No data available Viscosity, dynamic No data available **Explosive limits** No data available Explosive properties No data available Oxidising properties No data available

### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

# 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

# 10.5. Incompatible materials

No additional information available

# 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Unknown acute toxicity (GHS US) 47.49% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 97.7% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 97.7% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 97.7% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (DustMist))  titanium(IV) oxide (13463-67-7) LD50 oral rat  2 0000 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 1d day(s)) 1 050 oral rat 2 050 mg/kg (Rat, Oral) 1 050 oral rat 3 2000 mg/kg (Rat, Oral) 1 050 oral rat 3 2000 mg/kg (Rat, Oral) 1 050 oral rat 3 2000 mg/kg (Rat, Oral) 1 050 oral rat 3 2000 mg/kg (Rabbit, Dermal) 1 050 oral rat 3 2000 mg/kg (Rabbit, Dermal) 1 050 oral rat 3 2000 mg/kg (Rabbit, Dermal) 1 050 oral rat 3 2000 mg/kg (Rabbit, Dermal) 1 050 oral rat 1 050 oral rat 2 050 mg/kg (Babbit, Dermal) 2 050 mg/kg bodyweight 2 070 classified 2 070 mg/kg bodyweight 2 070 classified 3 070 classified 4 070 classified			
97,7% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 97.7% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist)) tittanium(IV) oxide (13463-67-7)  LD50 oral rat   2000 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))  LC50 Inhalation - Rat   25,09 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s))  LD50 oral rat   3200 mg/kg (Rat, Oral)  LD50 dermal rabbit   215200 mg/kg (Rabbit, Dermal)  LC50 Inhalation - Rat (Vapours)   3200 mg/kg (Rabbit, Dermal)  LC50 Inhalation - Rat (Vapours)   3200 mg/kg bodyweight (DECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s))  LC50 Inhalation - Rat (Vapours)   3200 mg/kg (Rabbit, Dermal)  LC50 Inhalation - Rat (Vapours)   3200 mg/kg bodyweight (DECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s))  LC50 Inhalation - Rat (Vapours)   3200 mg/kg (Rabbit, Dermal)  24.4375 mg/l Source: IUCLID  3200 mg/kg bodyweight (DECD 401: Acute Oral Toxicity, 4 h, Rat, Male, Experimental value, Inhalation (Developmental Value, Inhalation Toxicity, 4 h, Rat, Male, Experimental value, Inhalation (Developmental Value, Inhalation Toxicity, 4 h, Rat, Male, Experimental value, Inhalation (Developmental Value, Inhalation Toxicity, 4 h, Rat, Male, Experimental value, Inhalation (Decomplete County) (	660 - Rich Shield Premium Acrylic Gloss White		
2000 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))   2,2,4-trimethyl-1,3-pentanediol monoisobutyrate (25265-77-4)	Unknown acute toxicity (GHS US)	97.7% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)	
value, Oral, 14 day(s))  LC50 Inhalation - Rat   > 5.09 mg/l (DECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s))  2,2,4-trimethyl-1,3-pentanediol monoisobutyrate (25265-77-4)  LD50 oral rat   3200 mg/kg (Rat, Oral)  LD50 demai rabbit   > 15200 mg/kg (Rabbit, Demail)  LC50 Inhalation - Rat (Vapours)   > 4.4375 mg/l Source: IUCLID  ATE US (oral)   3200 mg/kg bodyweight  Skin corrosion/irritation   Not classified  titanium(IV) oxide (13463-67-7)  pH   7 (aqueous suspension, 10 %)  Serious eye damage/irritation   Not classified  titanium(IV) oxide (13463-67-7)  pH   7 (aqueous suspension, 10 %)  Respiratory or skin sensitisation   Not classified  Serm cell mutagenicity   Not classified  Serm cell mutagenicity   Not classified  Serm cell mutagenicity   Not classified  RRC group   2B - Possibly carcinogenic to humans  Reproductive toxicity   Not classified  STOT-single exposure   Not classified  Not applicable (solid)  2,2,4-trimethyl-1,3-pentanediol monoisobutyrate (25265-77-4)	titanium(IV) oxide (13463-67-7)		
Inhalation (dust), 14 day(s))  2,2,4-trimethyl-1,3-pentanediol monoisobutyrate (25265-77-4)  LD50 oral rat  3200 mg/kg (Rat, Oral)  LD50 dermal rabbit  > 15200 mg/kg (Rabbit, Dermal)  LC50 Inhalation - Rat (Vapours)  > 4.4375 mg/l Source: IUCLID  ATE US (oral)  3200 mg/kg bodyweight  Skin corrosion/irritation  : Not classified  tittanium(IV) oxide (13463-67-7)  pH  7 (aqueous suspension, 10 %)  Serious eye damage/irritation  : Not classified  tittanium(IV) oxide (13463-67-7)  pH  7 (aqueous suspension, 10 %)  Respiratory or skin sensitisation  : Not classified  Serious eye alm ultagenicity : Not classified  Scarcinogenicity : May cause cancer.  tittanium(IV) oxide (13463-67-7)  LARC group  2B - Possibly carcinogenic to humans  Reproductive toxicity : Not classified  STOT-single exposure	LD50 oral rat		
Substitute   Sub	LC50 Inhalation - Rat	·	
LD50 dermal rabbit > 15200 mg/kg (Rabbit, Dermal)  LC50 Inhalation - Rat (Vapours) > 4.4375 mg/l Source: IUCLID  ATE US (oral) 3200 mg/kg bodyweight  Skin corrosion/irritation : Not classified  titanium(IV) oxide (13463-67-7)  pH 7 (aqueous suspension, 10 %)  Serious eye damage/irritation : Not classified  titanium(IV) oxide (13463-67-7)  pH 7 (aqueous suspension, 10 %)  Respiratory or skin sensitisation : Not classified  Serm cell mutagenicity : Not classified  Serm cell mutagenicity : Not classified  Serm cell mutagenicity : May cause cancer.  titanium(IV) oxide (13463-67-7)  IARC group 2B - Possibly carcinogenic to humans  Reproductive toxicity : Not classified  STOT-single exposure : Not classified  STOT-repeated exposure : Not classified  STOT-repeated exposure : Not classified  SFOT-repeated exposure : Not classified  SFOT-single exposure : Not classified  S	2,2,4-trimethyl-1,3-pentanediol monoisobuty	vrate (25265-77-4)	
LC50 Inhalation - Rat (Vapours)  > 4.4375 mg/l Source: IUCLID  3200 mg/kg bodyweight  Skin corrosion/irritation : Not classified  titanium(IV) oxide (13463-67-7)  pH	LD50 oral rat	3200 mg/kg (Rat, Oral)	
ATE US (oral)  Skin corrosion/irritation : Not classified  titanium(IV) oxide (13463-67-7) pH	LD50 dermal rabbit	> 15200 mg/kg (Rabbit, Dermal)	
skin corrosion/irritation : Not classified  titanium(IV) oxide (13463-67-7)  pH	LC50 Inhalation - Rat (Vapours)	> 4.4375 mg/l Source: IUCLID	
titanium(IV) oxide (13463-67-7) pH	ATE US (oral)	3200 mg/kg bodyweight	
pH 7 (aqueous suspension, 10 %) Serious eye damage/irritation : Not classified  titanium(IV) oxide (13463-67-7) pH 7 (aqueous suspension, 10 %) Respiratory or skin sensitisation : Not classified Serm cell mutagenicity : Not classified Carcinogenicity : May cause cancer.  titanium(IV) oxide (13463-67-7)  IARC group 2B - Possibly carcinogenic to humans Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified Signified (Stocosity, kinematic : Not data available  titanium(IV) oxide (13463-67-7)  Viscosity, kinematic Not applicable (solid)  22,2,4-trimethyl-1,3-pentanediol monoisobutyrate (25265-77-4)	Skin corrosion/irritation	: Not classified	
titanium(IV) oxide (13463-67-7) pH 7 (aqueous suspension, 10 %) Respiratory or skin sensitisation : Not classified Serm cell mutagenicity : Not classified Carcinogenicity : May cause cancer.  titanium(IV) oxide (13463-67-7) IARC group 2B - Possibly carcinogenic to humans Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified Aspiration you could be considered to the country of the count	titanium(IV) oxide (13463-67-7)		
titanium(IV) oxide (13463-67-7)  pH 7 (aqueous suspension, 10 %)  Respiratory or skin sensitisation : Not classified  Germ cell mutagenicity : Not classified  Carcinogenicity : May cause cancer.  titanium(IV) oxide (13463-67-7)  IARC group   2B - Possibly carcinogenic to humans  Reproductive toxicity : Not classified  STOT-single exposure : Not classified  STOT-repeated exposure : Not classified  Aspiration hazard : Not classified  Aspiration hazard : Not classified  Aspiration hazard : Not available  titanium(IV) oxide (13463-67-7)  Viscosity, kinematic   Not applicable (solid)  2,2,4-trimethyl-1,3-pentanediol monoisobutyrate (25265-77-4)	рН	7 (aqueous suspension, 10 %)	
PH 7 (aqueous suspension, 10 %)  Respiratory or skin sensitisation : Not classified  Germ cell mutagenicity : Not classified Carcinogenicity : May cause cancer.  Ititanium(IV) oxide (13463-67-7)  IARC group 2B - Possibly carcinogenic to humans  Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified Aspiration hazard : Not classified Aspiration hazard : Not data available  Ititanium(IV) oxide (13463-67-7)  Viscosity, kinematic Not applicable (solid)  Not applicable (solid)	Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : May cause cancer.  titanium(IV) oxide (13463-67-7)  IARC group : 2B - Possibly carcinogenic to humans  Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified Aspiration hazard : Not classified Aspiration hazard : Not data available  titanium(IV) oxide (13463-67-7)  Viscosity, kinematic : Not applicable (solid)  2,2,4-trimethyl-1,3-pentanediol monoisobutyrate (25265-77-4)	titanium(IV) oxide (13463-67-7)		
Serm cell mutagenicity : Not classified Carcinogenicity : May cause cancer.  titanium(IV) oxide (13463-67-7)  IARC group	рН	7 (aqueous suspension, 10 %)	
titanium(IV) oxide (13463-67-7)  IARC group  2B - Possibly carcinogenic to humans  Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified Viscosity, kinematic : No data available  titanium(IV) oxide (13463-67-7)  Viscosity, kinematic  Not applicable (solid)  2,2,4-trimethyl-1,3-pentanediol monoisobutyrate (25265-77-4)	Respiratory or skin sensitisation	: Not classified	
IARC group  2B - Possibly carcinogenic to humans  Reproductive toxicity  3 Not classified  STOT-single exposure  3 Not classified  STOT-repeated exposure  4 Not classified  Aspiration hazard  5 Not classified  7 Not classified  Aspiration hazard  7 Not classified  7 Not data available  **Total control of the product of	Germ cell mutagenicity	: Not classified	
IARC group  2B - Possibly carcinogenic to humans  Reproductive toxicity  3 Not classified  STOT-single exposure  3 Not classified  STOT-repeated exposure  4 Not classified  Aspiration hazard  5 Not classified  7/scosity, kinematic  7 Not data available  **Indianal Company of the product of	Carcinogenicity	: May cause cancer.	
Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified Viscosity, kinematic : No data available  titanium(IV) oxide (13463-67-7)  Viscosity, kinematic   Not applicable (solid)  2,2,4-trimethyl-1,3-pentanediol monoisobutyrate (25265-77-4)	titanium(IV) oxide (13463-67-7)		
STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified Viscosity, kinematic : No data available  titanium(IV) oxide (13463-67-7)  Viscosity, kinematic : Not applicable (solid)  2,2,4-trimethyl-1,3-pentanediol monoisobutyrate (25265-77-4)	IARC group	2B - Possibly carcinogenic to humans	
STOT-repeated exposure : Not classified Aspiration hazard : Not classified Viscosity, kinematic : No data available  titanium(IV) oxide (13463-67-7)  Viscosity, kinematic : Not applicable (solid)  2,2,4-trimethyl-1,3-pentanediol monoisobutyrate (25265-77-4)	Reproductive toxicity	: Not classified	
Aspiration hazard : Not classified /iscosity, kinematic : No data available  titanium(IV) oxide (13463-67-7)  Viscosity, kinematic Not applicable (solid)  2,2,4-trimethyl-1,3-pentanediol monoisobutyrate (25265-77-4)	STOT-single exposure	: Not classified	
/iscosity, kinematic : No data available  titanium(IV) oxide (13463-67-7)  Viscosity, kinematic Not applicable (solid)  2,2,4-trimethyl-1,3-pentanediol monoisobutyrate (25265-77-4)	STOT-repeated exposure	: Not classified	
titanium(IV) oxide (13463-67-7)  Viscosity, kinematic  Not applicable (solid)  2,2,4-trimethyl-1,3-pentanediol monoisobutyrate (25265-77-4)	Aspiration hazard		
Viscosity, kinematic  Not applicable (solid)  2,2,4-trimethyl-1,3-pentanediol monoisobutyrate (25265-77-4)	Viscosity, kinematic	: No data available	
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate (25265-77-4)	titanium(IV) oxide (13463-67-7)		
	Viscosity, kinematic	Not applicable (solid)	
Viscosity, kinematic 13.579 mm²/s	2,2,4-trimethyl-1,3-pentanediol monoisobutyrate (25265-77-4)		
	Viscosity, kinematic	13.579 mm²/s	

# SECTION 12: Ecological information

12.1. Toxicity	
Ecology - general	: Toxic to aquatic life.
titanium(IV) oxide (13463-67-7)	
LC50 - Fish [1]	> 100 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration)

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

titanium(IV) oxide (13463-67-7)	
ErC50 algae	61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate (25265-77-4)	
LC50 - Fish [1]	30 mg/l (96 h, Pimephales promelas, Fresh water)
EC50 - Crustacea [1]	147.8 mg/l (48 h, Daphnia sp.)
LC50 - Fish [2]	> 19 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 72h - Algae [1]	18.4 mg/l (Selenastrum capricornutum, Growth)

# 12.2. Persistence and degradability

titanium(IV) oxide (13463-67-7)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate (25265-77-4)	
Persistence and degradability	Readily biodegradable in water.
Chemical oxygen demand (COD)	2.1 g O <sub>2</sub> /g substance
ThOD	2.4 g O <sub>2</sub> /g substance

# 12.3. Bioaccumulative potential

titanium(IV) oxide (13463-67-7)	
Bioaccumulative potential	Not bioaccumulative.
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate (25265-77-4)	
Partition coefficient n-octanol/water (Log Pow) 3.47 (Experimental value)	

# 12.4. Mobility in soil

titanium(IV) oxide (13463-67-7)	
Surface tension	No data available in the literature
Ecology - soil	Low potential for mobility in soil.

# 12.5. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

# 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

5/30/2023 (Issue date) EN (English) 7/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 14: Transport information**

DOT	IMDG	IATA	
14.1. UN number			
Not regulated for transport			
14.2. Proper Shipping Name			
Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(es)	14.3. Transport hazard class(es)		
Not applicable	Not applicable	Not applicable	
14.4. Packing group			
Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards			
Not applicable	Not applicable	Not applicable	
No supplementary information available			

# 14.6. Special precautions for user

### **DOT**

No data available

### **IMDG**

No data available

### IATA

No data available

# 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

ammonium hydroxide, 25%≤conc<35%, aqueous	CAS-No. 1336-21-6	< 5%
solutions		

# 15.2. International regulations

### CANADA

# distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Listed on the Canadian DSL (Domestic Substances List)

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### titanium(IV) oxide (13463-67-7)

Listed on the Canadian DSL (Domestic Substances List)

### 2,2,4-trimethyl-1,3-pentanediol monoisobutyrate (25265-77-4)

Listed on the Canadian DSL (Domestic Substances List)

### **EU-Regulations**

No additional information available

### **National regulations**

# distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

### titanium(IV) oxide (13463-67-7)

Listed on IARC (International Agency for Research on Cancer)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

### 2,2,4-trimethyl-1,3-pentanediol monoisobutyrate (25265-77-4)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

### 15.3. US State regulations



This product can expose you to Diuron, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

# **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-statements	
H227	Combustible liquid
H350	May cause cancer.
H351	Suspected of causing cancer.
H401	Toxic to aquatic life
H402	Harmful to aquatic life

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.